California Department of Health Services

11.Based on pelvic exam or Pap smear test results, the next step for

Recipient should return for routine rescreen

* IMMEDIATE WORK-UP

** Short-Term Follow-Up

this Recipient is:

CERVICAL CANCER SCREENING & FOLLOW-UP WORKSHEET

CERVICAL CANCER SCREENING	G & FOLLOW-UP WORKSHEET
Recipient ID 9 A	
	First Middle Initial
CERVICAL CANCER SCREENING	CERVICAL CANCER FOLLOW-UP
. Cervical Cancer Screening Performed through Cancer Detection Programs: Every Woman Counts? Yes No	Cervical Cancer Diagnostic Procedures 12.Colposcopy without biopsy MM / DD / YYYY
Pelvic Exam Date of CURRENT pelvic exam MM / DD / YYYY	13.Colposcopy directed biopsy 14.Other procedure performed 15. Specify: 16.Other procedure performed 1
. Rectovaginal exam performed? 🔲 Yes 🔲 No	17. Specify:
Previous Pap Smear Test(s)? Yes No Unknown Date of most recent // PREVIOUS Pap smear (Month-MM) / (Year-YYYY) Date unknown Pap Smear Test	18.Cervical Cancer Diagnosis Status (Check only one) ☐ Work -up complete ☐ Lost to follow-up (two phone calls and certified letter sent) ☐ Work -up refused ☐ Died before work-up completed 19.Date of this diagnostic status
. Date of Pap smear test:/	20.Cervical Cancer Final Diagnosis
Specimen Adequacy (Check one) (Check one) (Check one) Conventional smear Liquid Based (not covered) Other (not covered) Unknown Unknown Check one)	(Check only one) ☐ Normal/benign reaction ☐ HPV/condylomata/atypia ☐ CIN I (biopsy diagnosis) ☐ CIN III(biopsy diagnosis) ☐ CIN III/carcinoma in situ (stage 0) (biopsy diagnosis) ☐ Invasive cervical carcinoma (biopsy diagnosis) ☐ Other (specify) ☐ 21.Date of this diagnosis ☐ / / / / / / / / / / / / / / / / / / /
Negative for intraepithelial lesion or malignancy ** Atypical squamous cells of undetermined significance (ASC-US) ** Atypical squamous cells of undetermined significance, cannot xclude HSIL (ASC-H) ** Low grade squamous intraepithelial lesion (LSIL) encompassing: uman papillomavirus/mild dysplasia/cervical intraepithelial neoplasia CIN I) * High grade squamous intraepithelial lesion (HSIL) encompassing:	22.Invasive Cervical Cancer Stage (Check only one) AJCC Stage I AJCC Stage II AJCC Stage III Stage IV Stage unknown (check if the invasive cancer stage is unconfirmed or not available)
noderate and severe dysplasia, carcinoma in situ; CIN II and CIN III * Squamous cell carcinoma * Atypical glandular cells (AGC) * Atypical glandular cells (AGC), favor neoplastic * Endocervical adenocarcinoma in situ (AIS) * Adenocarcinoma Other (specify) 0. If Pap smear test not performed, why not? (Check one) Not needed	23. Cervical Cancer Treatment Status (Complete if final diagnosis is CIN II, CIN III, or invasive cancer) (Check only one) Treatment initiated Referred for treatment (pending) Lost to follow-up (two phone calls and certified letter sent) Treatment refused Treatment not needed Died before entering treatment
 Needed but not performed (includes refused) Done recently, cervical screening and follow-up services paid with non-program funds 	24.Date of this treatment status /
IEVT CTED	